ScienceDirect - Psychoneuroendocrinology: Pharmacology of the GABAergic system: Effects of progab... Page 1 of 2



Register or Login: user name Password:

: Go

Search Tips

Athens/Institution Login

Quick Search:

within All Full-text Sources

Search Dournals Dooks Abstract Databases My Profile Alert

Help

return to SCIFUS

**Psychoneuroendocrinology** 

Volume 9, Issue 2, 1984, Pages 135-140

## Pharmacology of the GABAergic system: Effects of progabide, a GABA receptor agonist\*1

G. Bartholini

Laboratoires d'Etudes et des Recherches Synthélabo (L.E.R.S.), 58 rue de la Glacière, 75013, Paris, France

Received 24 June 1983; revised 22 July 1983. Available online 14 March 2003.

#### This Document

▶ Abstract

#### **External Links**

- Abstract + References in Scopus
- · Cited By in Scopus

#### **Actions**

- Cited By
- · Save as Citation Alert
- E-mail Article
- · Export Citation

#### **Abstract**

Stimulation of GABA receptors (e.g. by progabide, a new GABA receptor antagonist, or by muscimol) enhances the liberation of norepinephrine in limbic forebrain areas of the rat and reduces 5-hydroxytryptamine turnover. On repeated administration, this latter effect is associated with an up-regulation of 5-HT<sub>2</sub> receptors as it occurs after electroconvulsive shock. The monoaminergic changes induced by progabide, though dissimilar from those induced by tricyclics, are probably connected with the antidepressant action of the compound observed in double-blind clinical trials.

In the basal ganglia, GABA receptor agonists reduce dopamine turnover and potentiate the cataleptogenic action of neuroleptics. They also antagonize the stereotypic behaviour induced by dopaminomimetics, indicating an additional action beyond the dopamine synapse. On repeated co-administration with neuroleptics, progabide antagonizes the tolerance to the cataleptogenic action, the supersensitivity to dopaminomimetics, and the increase in <sup>3</sup>H-spiperone binding which are caused by sustained neuroleptic treatment. This appears to be the basis for the clinical action of progabide in neuroleptic-induced dyskinesia, L-dopainduced involuntary movements, and possibly mania.

GABA receptor agonists decrease cellular excitability in several animal models and antagonize seizures, whatever their origin (GABA-mediated or GABA unrelated mechanisms). Progabide has been shown to be effective in various forms of epilepsy in double-blind and long-term clinical trials. The compound exerts a therapeutic action in patients resistant to "classical" antiepileptic drugs, in the virtual absence of major side effects.

ScienceDirect - Psychoneuroendocrinology: Pharmacology of the GABAergic system: Effects of progab... Page 2 of 2

Corresponding author. Address correspondence to: Prof. G. Bartholini, L.E.R.S., 58 rue de la Glacière, 75013, Paris, France.

\*1 Presented in part at the XIV International Congress of the International Society of Psychoneuroendocrinology, New York City, 12–16 June 1983.

<u>Psychoneuroendocrinology</u>

Volume 9, Issue 2, 1984, Pages 135-140

This Document

Abstract

**External Links** 

Abstract + References in Scopus

· Cited By in Scopus

#### **Actions**

- · Cited By
- Save as Citation Alert
- E-mail Article
- Export Citation

Home Search Journals Books Abstract Databases My Profile Alerts

Help

Contact Us | Terms & Conditions | Privacy Policy

 $\textbf{Copyright} \textcircled{0} \textbf{ 2006} \textbf{ \underline{Elsevier B.V.}} \textbf{ All rights reserved. ScienceDirect} \textcircled{0} \textbf{ is a registered trademark of Elsevier B.V.}$ 

SCIENCE ODIRECT	Register or Login: user name		Go Athens/Institution Login
Home Search Journals Books Abs	itraci Databases   My Prol	flo Alexes	(2) Help
Quick Search:	within This Volume/Issue	Go ② Search Tips	
return to SCIFUS			evious 2 of 15 next >
<b>Psychoneuroendocrinology</b>			
<u>Volume 9, Issue 2</u> , 1984, Pages 97-106			

doi:10.1016/0306-4530(84)90029-5 Cite or Link Using DOI Copyright © 1984 Published by Elsevier Science Ltd.

# GAMMA aminobutyric acid (GABA), a modulator of anterior pituitary hormone secretion by hypothalamic and pituitary action \*1

S. M. McCann, E. Vijayan, A. Negro-Vilar, H. Mizunuma and H. Mangat

Department of Physiology, University of Texas Health Science Center at Dallas, 5323 Harry Hines Boulevard, Dallas, TX 75235, U.S.A.

This Document

Abstract

#### **External Links**

- Abstract + References in Scopus
- · Cited By in Scopus

#### **Actions**

- Cited By
  - Save as Citation Alert
- E-mail Article
- · Export Citation

Received 24 June 1983; revised 31 October 1983. Available online 14 March 2003.

#### Abstract

We have evaluated the role of GABA in the control of anterior pituitary (AP) hormone secretion by injecting it into the third ventricle of ovariectomized, ovariectomized-steroid primed and male rats. Specificity of the effects was determined by injecting the GABA blocker, bicuculline. The action of GABA directly on the pituitary was evaluated in vitro. The results indicate that intraventricular GABA can stimulate LH, growth hormone (GH) and, at high doses, prolactin (Prl) release, whereas low doses inhibit Prl and all doses inhibit TSH release. All of these actions are blocked by bicuculline. Intraventricular GABA administration is followed by an elevation of hypothalamic norepinephrine (NE) and median eminence dopamine (DA) levels and AP DA levels, which indicates that the compound stimulates both NE and DA release. The actions on GH and LH appear to proceed independently of DA, since the DA receptor blocker, pimozide, did not interfere with these effects, whereas the action to elevate Prl and to lower TSH was blocked by DA receptor blockade. Anterior pituitary hormone release by AP's incubated with GABA in vitro was unaltered except for an inhibition of Prl release by very high GABA doses, which could be blocked by bicuculline. Intravenous injection of bicuculline to assess the physiological significance of GABA in control of AP hormone secretion revealed no effect on FSH but a delayed rise in LH, an initial rise in Prl, followed by a fall, a tendency for GH values to rise and a dramatic fall in TSH levels. These results suggest the possibility that GABA plays a physiological role in the control of AP hormone secretion, mainly via a hypothalamic action.

<sup>\*1</sup> Presented in part at the XIV International Congress of the International Society of Psychoneuroendocrinology, New York City, 12–16 June 1983.

#### **Psychoneuroendocrinology**

Volume 9, Issue 2, 1984, Pages 97-106

### This Document

Abstract

#### **External Links**

- Abstract + References in **Scopus**
- Cited By in Scopus

#### **Actions**

- Cited By
- Save as Citation Alert
  - E-mail Article
- **Export Citation**

1 results list 1 previous 2 of 15

Home Search

Journals Books Abstract Databases, My Profile, Alerts

Help

Contact Us | Terms & Conditions | Privacy Policy

Copyright © 2006 Elsevier B.V. All rights reserved. ScienceDirect® is a registered trademark of Elsevier B.V.



Go Register or Login: user name Password: Athens/Institution Login

Home Search Journals Books Abstract Databases My Profile Alerts within This Volume/Issue Go Go Quick Search: Search Tips Help

return to SCIFUS

| previous volume/issue | volume/issue list | next volume/issue |

#### **Psychoneuroendocrinology**

Copyright © 2006 Elsevier Ltd. All rights reserved

Pages 141-146

Volume 9, Issue 2, Pages 85-198 (1984)



Article	List Partial Abstracts Full Abstracts					
← display checked docs e-mail articles export citations						
	return to SCIFUS articles 1 - 15					
1. [	GABA and anterior pituitary function: Anatomical data • ARTICLE  Pages 85-95  M. L. Tappaz  Abstract					
2.	GAMMA aminobutyric acid (GABA), a modulator of anterior pituitary hormone secretion by hypothalamic and pituitary action • ARTICLE Pages 97-106 S. M. McCann, E. Vijayan, A. Negro-Vilar, H. Mizunuma and H. Mangat Abstract					
3.	Clinical and experimental studies on the role of GABA in the regulation of acth secretion: a review • ARTICLE  Pages 107-123  M. T. Jones, B. Gillham, A. R. H. Altaher, S. A. Nicholson, E. A. Campbell, S. M. Watts and A. Thody  Abstract					
4.	Prolactin control by the tubero-infundibular gabaergic system: role of anterior pituitary GABA receptors • ARTICLE  Pages 125-133  J. A. Apud, C. Masotto, D. Cocchi, V. Locatelli, E. E. Muller and G. Racagni  Abstract					
5.	Pharmacology of the GABAergic system: Effects of progabide, a GABA receptor agonist • ARTICLE Pages 135-140 G. Bartholini Abstract					
6. 🗌	Effects in man of progabide on prolactin release induced by haloperidol or domperidone • ARTICLE					

Books Abstract Databases My Profile Alerts

Home.

Search

**Journals** 

Help

Contact Us | Terms & Conditions | Privacy Policy

Copyright © 2006 Elsevier B.V. All rights reserved. ScienceDirect® is a registered trademark of Elsevier B.V.

gamma AND aminobutyramide AND (spastic OR convulsion OR epilepsy) results on scirus.com, for sci... Page 1 of 1

SCIFUS for scientific information only

About Us	Newsroom	Advisory Board	Submit Web Site	Help		Contact Us
Basic Search		Advanced Search Preferences				
			de AND (spastic OR convu		xact phrase	
So	ound:: :1 total	<u>1 journal results</u>   0 p ace   <u>date</u>	inobutyramide AND (spasti	ner web results	s	
1. Phar Bart sh clinic belov rang	cholini, G., Psychown to be effective calshown to be wactive only in e	GABAergic system: Eff oneuroendocrinology, we in various forms of effective in the treatm some animal models of	ects of progabide, a GABA	and long-term on and dyskir	Or refi	ne using: the words
	<u>ar results</u>	rticle available from	SCIBREE (M DINECT	i	fast:::	

Downloads | Subscribe to News Updates | User Feedback | Advertising Tell A Friend | Terms Of Service | Privacy Policy | Legal

Powered by FAST © Elsevier 2006

#### 10/049328

L1 ANSWER 1 OF 3 REGISTRY COPYRIGHT 2006 ACS on STN

RN 35821-20-6 REGISTRY

ED Entered STN: 16 Nov 1984

CN Carbamic acid, (4-amino-4-oxobutyl)-, phenylmethyl ester (9CI) (CA INDEX NAME)

#### OTHER NAMES:

CN N-(Benzoxycarbonyl)-γ-aminobutyramide

CN N-Benzyloxycarbonyl-γ-aminobutyric acid amide

FS 3D CONCORD

MF C12 H16 N2 O3

LC STN Files: BEILSTEIN\*, CA, CAPLUS, CASREACT, IFICDB, IFIPAT, IFIUDB, TOXCENTER, USPATFULL

(\*File contains numerically searchable property data)

#### \*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

9 REFERENCES IN FILE CA (1907 TO DATE)

9 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L1 ANSWER 2 OF 3 REGISTRY COPYRIGHT 2006 ACS on STN

RN 25271-48-1 REGISTRY

ED Entered STN: 16 Nov 1984

CN Hydrocinnamamide,  $\beta$ -(aminomethyl)-, dihydrochloride, DL- (8CI) (CA INDEX NAME)

OTHER NAMES:

CN DL- $\beta$ -Phenyl- $\gamma$ -aminobutyramide dihydrochloride

MF C10 H14 N2 O . 2 Cl H

LC STN Files: CA, CAPLUS, TOXCENTER

CRN (102571-00-6)

$$H_2N$$
 $Ph$ 
 $O$ 
 $NH_2$ 

#### ●2 HCl

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L1 ANSWER 3 OF 3 REGISTRY COPYRIGHT 2006 ACS on STN

RN 3459-33-4 REGISTRY

ED Entered STN: 16 Nov 1984

CN 2H-Isoindole-2-butanamide, 1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 2-Isoindolinebutyramide, 1,3-dioxo- (7CI, 8CI)

OTHER NAMES:

CN 4-Phthalimidobutyramide

```
10/049328
CN
     N-Phthalyl-\gamma-aminobutyramide
FS
     3D CONCORD
MF
     C12 H12 N2 O3
LC
     STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS, CASREACT, RTECS*, TOXCENTER,
       USPAT2, USPATFULL
         (*File contains numerically searchable property data)
             (CH_2)_3 - C - NH_2
**PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT**
              14 REFERENCES IN FILE CA (1907 TO DATE)
              1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
              14 REFERENCES IN FILE CAPLUS (1907 TO DATE)
               2 REFERENCES IN FILE CAOLD (PRIOR TO 1967)
=> s GABA/cn
L2
             1 GABA/CN
=> d 12
    ANSWER 1 OF 1 REGISTRY COPYRIGHT 2006 ACS on STN
L2
RN
    56-12-2 REGISTRY
ED
    Entered STN: 16 Nov 1984
    Butanoic acid, 4-amino- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
    Butyric acid, 4-amino- (7CI, 8CI)
OTHER NAMES:
CN
   γ-Aminobutanoic acid
CN
    γ-Aminobutryic acid
    γ-Aminobutyric acid
CN
    ω-Aminobutyric acid
CN
    3-Carboxypropylamine
CN
CN
    4-Aminobutanoic acid
CN
    4-Aminobutyric acid
```

CN

CN CN

CN

CN

CN

CN

CN

CN

CN

CN

CN

CN

CN

Aminalon GABA

Gaballon

Gammalon

Gammasol

Mielogen

Mielomade

NSC 27418

NSC 32044

NSC 45460

NSC 51295

Gammalone

Gamarex

Gammar

#### 10/049328

CN Pharmagaba

CN Pharmagaba 20

CN Pharmagaba 20D

CN Piperidic acid

CN Piperidinic acid

FS 3D CONCORD

DR 3131-86-0

MF C4 H9 N O2

CI COM

LC STN Files: ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN\*, BIOSIS, BIOTECHNO, CA, CABA, CAOLD, CAPLUS, CASREACT, CBNB, CHEMCATS, CHEMINFORMRX, CHEMLIST, CIN, CSCHEM, DDFU, DETHERM\*, DRUGU, EMBASE, GMELIN\*, IFICDB, IFIPAT, IFIUDB, IPA, MEDLINE, MRCK\*, MSDS-OHS, NAPRALERT, PROMT, PS, RTECS\*, SPECINFO, SYNTHLINE, TOXCENTER, ULIDAT, USAN, USPAT2, USPATFULL, VETU

(\*File contains numerically searchable property data)

Other Sources: DSL\*\*, EINECS\*\*, TSCA\*\*

(\*\*Enter CHEMLIST File for up-to-date regulatory information)

 $H_2N-(CH_2)_3-CO_2H$ 

#### \*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

28433 REFERENCES IN FILE CA (1907 TO DATE)
526 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
28475 REFERENCES IN FILE CAPLUS (1907 TO DATE)
1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

#### => FIL REGISTRY

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 23.20 23.41

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 15:40:53 ON 11 MAY 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 10 MAY 2006 HIGHEST RN 883788-13-4 DICTIONARY FILE UPDATES: 10 MAY 2006 HIGHEST RN 883788-13-4

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

\* The CA roles and document type information have been removed from \*

Jagoe

10/049328

Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

=> S 56-12-2/RN

L3 1 56-12-2/RN

=> SET NOTICE 1 DISPLAY

NOTICE SET TO 1 U.S. DOLLAR FOR DISPLAY COMMAND SET COMMAND COMPLETED

=> D L3 RN CCN 1-

YOU HAVE REQUESTED DATA FROM 1 ANSWERS - CONTINUE? Y/(N):Y THE ESTIMATED COST FOR THIS REQUEST IS 1.90 U.S. DOLLARS DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:Y

L3 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2006 ACS on STN RN 56-12-2 REGISTRY

CN Butanoic acid, 4-amino- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Butyric acid, 4-amino- (7CI, 8CI) OTHER NAMES:

CN γ-Aminobutanoic acid; γ-Aminobutryic acid;
γ-Aminobutyric acid; ω-Aminobutyric acid;
3-Carboxypropylamine; 4-Aminobutanoic acid; 4-Aminobutyric acid;
Aminalon; GABA; Gaballon; Gamarex; Gammalon; Gammalone; Gammar;
Gammasol; Mielogen; Mielomade; NSC 27418; NSC 32044; NSC 45460; NSC 51295; Pharmagaba; Pharmagaba 20; Pharmagaba 20D; Piperidic acid;
Piperidinic acid